





PROJECT

 Atlas Sheet

INFRASTRUCTURE AND BOUNDARIES



 Highway

 Railway

 Provincial Boundary

****IMPORTANT* - Note that the only maps contained in this file package are those highlighted in Yellow below.**

- Inundation Overview Map (BC Province) - *Front page***
- Skins Lake Spillway (Maps 1 thru 9)
- Fort Fraser (Maps 10 thru 12)
- Vanderhoof (Maps 13 thru 18)**
- Prince George (Maps 19 thru 27)
- Quesnel (Maps 28 thru 34)
- Williams Lake (Maps 35 thru 46)
- Lillooet (Maps 47 thru 57)
- Hope (Maps 58 thru 60)]
- Chilliwack (Maps 61 thru 70)
- New Westminster (Maps 71 thru 74)



RTA-Nechako
Hydrotechnical Study


Inundation Map for Kenney Dam and Skins Lake Dam #3 under PMF Conditions at Nechako Reservoir

Sources:
Atlas of Canada, 1:7,000,000, NRCan, 2007

Project: 629097
File: snc629097_loca_tab_151130.mxd


WORKING DOCUMENT

Projection UTM, Zone 10, NAD83



1:2 500 000

December 2015



PROJECT

- Fair Weather Water Surface Area
- Inundation Area: PMF at Nechako Reservoir
- Inundation Limits: Skins Lake Dam #3 Breach, PMF Scenario¹
- Inundation Limits: Kenney Dam Breach, PMF Scenario¹
- Water Flow

INFRASTRUCTURE AND BOUNDARIES

- Building
- Tower
- Highway
- Collector
- Local
- Road
- Trail
- Railway
- Power Transmission Line
- Dike
- Municipal Boundary

1. Because of the method, procedure and assumptions used to develop inundated areas, limits of inundation shown and flood wave times are approximate, and should be used only as a guideline for establishing evacuation zones. Actual areas inundated will depend on actual failure conditions and may differ from areas shown on map.
2. The extend of inundation shown is established based on maximum water level resulting from the failure of Kenney Dam under Probable Maximum Flood conditions.
3. Times shown in information boxes are from strat of Dam failure Kenney Dam.
4. All water elevations are shown in metres.

Note¹: The PMF Breach Scenario assumes that the PMF occurs at the Nechako Reservoir catchment. The flow in the whole river system is 1:2 year flood.
Note²: The Fair Weather Breach Scenario assumes that the dam breach is initiated at the average flow in the whole river system.

RTA-Nechako
Hydrotechnical Study

Inundation Map for Kenney Dam and Skins Lake
Dam #3 under PMF Conditions at Nechako Reservoir

Sources:
GeoBC, 1:20,000, MFLNRO, 2013
CanVec, 1:50,000, NRCan, 2014
City of Prince George, 2014

Project: 629097
File: snc629097_feuil_inon_tab_151214.mxd


WORKING DOCUMENT

Projection UTM, Zone 10, NAD83

0 0.5 1 km
1:50 000

December 2015

Sheet 13 of 74



PROJECT

- Fair Weather Water Surface Area
- Inundation Area: PMF at Nechako Reservoir
- Inundation Limits: Skins Lake Dam #3 Breach, PMF Scenario¹
- Inundation Limits: Kenney Dam Breach, PMF Scenario¹
- Water Flow

INFRASTRUCTURE AND BOUNDARIES

- Building
- Tower
- Highway
- Collector
- Local
- Road
- Trail
- Railway
- Power Transmission Line
- Dike
- Municipal Boundary

1. Because of the method, procedure and assumptions used to develop inundated areas, limits of inundation shown and flood wave times are approximate, and should be used only as a guideline for establishing evacuation zones. Actual areas inundated will depend on actual failure conditions and may differ from areas shown on map.
2. The extend of inundation shown is established based on maximum water level resulting from the failure of Kenney Dam under Probable Maximum Flood conditions.
3. Times shown in information boxes are from strat of Dam failure Kenney Dam.
4. All water elevations are shown in metres.

Note¹: The PMF Breach Scenario assumes that the PMF occurs at the Nechako Reservoir catchment. The flow in the whole river system is 1:2 year flood.
Note²: The Fair Weather Breach Scenario assumes that the dam breach is initiated at the average flow in the whole river system.

RTA-Nechako
Hydrotechnical Study

Inundation Map for Kenney Dam and Skins Lake
Dam #3 under PMF Conditions at Nechako Reservoir

Sources:
GeoBC, 1:20,000, MFLNRO, 2013
CanVec, 1:50,000, NRCan, 2014
City of Prince George, 2014

Project: 629097
File: snc629097_feuil_inon_tab_151214.mxd


WORKING DOCUMENT

Projection UTM, Zone 10, NAD83

0 0.5 1 km
1:50 000

December 2015

Sheet 14 of 74



PROJECT

- Fair Weather Water Surface Area
- Inundation Area: PMF at Nechako Reservoir
- Inundation Limits: Skins Lake Dam #3 Breach, PMF Scenario¹
- Inundation Limits: Kenney Dam Breach, PMF Scenario¹
- Water Flow

INFRASTRUCTURE AND BOUNDARIES

- Building
- Tower
- Highway
- Collector
- Local
- Road
- Trail
- Railway
- Power Transmission Line
- Dike
- Municipal Boundary

1. Because of the method, procedure and assumptions used to develop inundated areas, limits of inundation shown and flood wave times are approximate, and should be used only as a guideline for establishing evacuation zones. Actual areas inundated will depend on actual failure conditions and may differ from areas shown on map.
2. The extend of inundation shown is established based on maximum water level resulting from the failure of Kenney Dam under Probable Maximum Flood conditions.
3. Times shown in information boxes are from strat of Dam failure Kenney Dam.
4. All water elevations are shown in metres.

Note¹: The PMF Breach Scenario assumes that the PMF occurs at the Nechako Reservoir catchment. The flow in the whole river system is 1:2 year flood.
Note²: The Fair Weather Breach Scenario assumes that the dam breach is initiated at the average flow in the whole river system.

RTA-Nechako
Hydrotechnical Study

Inundation Map for Kenney Dam and Skins Lake
Dam #3 under PMF Conditions at Nechako Reservoir

Sources:
GeoBC, 1:20,000, MFLNRO, 2013
CanVec, 1:50,000, NRCan, 2014
City of Prince George, 2014

Project: 629097
File: snc629097_feuil_inon_tab_151214.mxd


WORKING DOCUMENT

Projection UTM, Zone 10, NAD83

0 0.5 1 km
1:50 000

December 2015

Sheet 15 of 74



PROJECT

- Fair Weather Water Surface Area
- Inundation Area: PMF at Nechako Reservoir
- Inundation Limits: Skins Lake Dam #3 Breach, PMF Scenario¹
- Inundation Limits: Kenney Dam Breach, PMF Scenario¹
- Water Flow

INFRASTRUCTURE AND BOUNDARIES

- Building
- Tower
- Highway
- Collector
- Local
- Road
- Trail
- Railway
- Power Transmission Line
- Dike
- Municipal Boundary

1. Because of the method, procedure and assumptions used to develop inundated areas, limits of inundation shown and flood wave times are approximate, and should be used only as a guideline for establishing evacuation zones. Actual areas inundated will depend on actual failure conditions and may differ from areas shown on map.
2. The extend of inundation shown is established based on maximum water level resulting from the failure of Kenney Dam under Probable Maximum Flood conditions.
3. Times shown in information boxes are from strat of Dam failure Kenney Dam.
4. All water elevations are shown in metres.

Note¹: The PMF Breach Scenario assumes that the PMF occurs at the Nechako Reservoir catchment. The flow in the whole river system is 1:2 year flood.
Note²: The Fair Weather Breach Scenario assumes that the dam breach is initiated at the average flow in the whole river system.

RTA-Nechako
Hydrotechnical Study

Inundation Map for Kenney Dam and Skins Lake
Dam #3 under PMF Conditions at Nechako Reservoir

Sources:
GeoBC, 1:20,000, MFLNRO, 2013
CanVec, 1:50,000, NRCan, 2014
City of Prince George, 2014

Project: 629097
File: snc629097_feuil_inon_tab_151214.mxd


WORKING DOCUMENT

Projection UTM, Zone 10, NAD83

0 0.5 1 km
1:50 000

December 2015

Sheet 16 of 74



PROJECT

- Fair Weather Water Surface Area
- Inundation Area: PMF at Nechako Reservoir
- Inundation Limits: Skins Lake Dam #3 Breach, PMF Scenario¹
- Inundation Limits: Kenney Dam Breach, PMF Scenario¹
- Water Flow

INFRASTRUCTURE AND BOUNDARIES

- Building
- Tower
- Highway
- Collector
- Local
- Road
- Trail
- Railway
- Power Transmission Line
- Dike
- Municipal Boundary

1. Because of the method, procedure and assumptions used to develop inundated areas, limits of inundation shown and flood wave times are approximate, and should be used only as a guideline for establishing evacuation zones. Actual areas inundated will depend on actual failure conditions and may differ from areas shown on map.
2. The extend of inundation shown is established based on maximum water level resulting from the failure of Kenney Dam under Probable Maximum Flood conditions.
3. Times shown in information boxes are from strat of Dam failure Kenney Dam.
4. All water elevations are shown in metres.

Note¹: The PMF Breach Scenario assumes that the PMF occurs at the Nechako Reservoir catchment. The flow in the whole river system is 1:2 year flood.
Note²: The Fair Weather Breach Scenario assumes that the dam breach is initiated at the average flow in the whole river system.

RTA-Nechako
Hydrotechnical Study

Inundation Map for Kenney Dam and Skins Lake
Dam #3 under PMF Conditions at Nechako Reservoir

Sources:
GeoBC, 1:20,000, MFLNRO, 2013
CanVec, 1:50,000, NRCan, 2014
City of Prince George, 2014

Project: 629097
File: snc629097_feuil_inon_tab_151214.mxd


WORKING DOCUMENT

Projection UTM, Zone 10, NAD83

0 0.5 1 km
1:50 000

December 2015

Sheet 17 of 74



PROJECT

- Fair Weather Water Surface Area
- Inundation Area: PMF at Nechako Reservoir
- Inundation Limits: Skins Lake Dam #3 Breach, PMF Scenario¹
- Inundation Limits: Kenney Dam Breach, PMF Scenario¹
- Water Flow

INFRASTRUCTURE AND BOUNDARIES

- Building
- Tower
- Highway
- Collector
- Local
- Road
- Trail
- Railway
- Power Transmission Line
- Dike
- Municipal Boundary

1. Because of the method, procedure and assumptions used to develop inundated areas, limits of inundation shown and flood wave times are approximate, and should be used only as a guideline for establishing evacuation zones. Actual areas inundated will depend on actual failure conditions and may differ from areas shown on map.
2. The extend of inundation shown is established based on maximum water level resulting from the failure of Kenney Dam under Probable Maximum Flood conditions.
3. Times shown in information boxes are from strat of Dam failure Kenney Dam.
4. All water elevations are shown in metres.

Note¹: The PMF Breach Scenario assumes that the PMF occurs at the Nechako Reservoir catchment. The flow in the whole river system is 1:2 year flood.
Note²: The Fair Weather Breach Scenario assumes that the dam breach is initiated at the average flow in the whole river system.

RTA-Nechako
Hydrotechnical Study

Inundation Map for Kenney Dam and Skins Lake
Dam #3 under PMF Conditions at Nechako Reservoir

Sources:
GeoBC, 1:20,000, MFLNRO, 2013
CanVec, 1:50,000, NRCan, 2014
City of Prince George, 2014

Project: 629097
File: snc629097_feuil_inon_tab_151214.mxd

WORKING DOCUMENT

Projection UTM, Zone 10, NAD83

December 2015

Sheet 18 of 74

